

# Mom & Baby

## MOTON MELTS (TABLETS)

### PATIENT INFORMATION LEAFLET



**SCHEDULING STATUS** Not scheduled

**PROPRIETARY NAME, STRENGTH AND PHARMACEUTICAL FORM**

Moton Melts (Tablets)

**Read all of this leaflet carefully because it contains important information for you**

Moton Melts are available without a doctor's prescription for the relief of minor conditions. Nevertheless you still need to use Moton Melts carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Do not share Moton Melts with any other person.
- Ask your pharmacist or healthcare practitioner if you need more information or advice.
- You must see a healthcare practitioner if your symptoms worsen or do not improve.

**1. WHAT MOTON MELTS CONTAINS**

The active ingredients in Moton Melts are *Apomorphia hydrochloricum* 6CH, *Anamirta cocculus (Cocculus)* 3CH, *Cephaelis acuminata (Ipecacuanha)* 3CH, *Cuprum metallicum* 6CH, *Ferrum phosphoricum* 5CH, *Iris versicolor* 3CH, *Petroleum* 3CH, *Strychnos nux-vomica (Nux vomica)* 5CH, *Tabacum* 3CH, *Veratrum album* 6CH. The other ingredients are lactose monohydrate, magnesium stearate and sodium starch glycolate. Contains sugar (lactose 47 mg).

**2. WHAT MOTON MELTS ARE USED FOR**

Moton Melts are homeopathically used to help relieve morning sickness, nausea and vomiting.

**3. BEFORE YOU TAKE MOTON MELTS**

**Do not take Moton Melts**

- If you are hypersensitive (allergic) or intolerant to any of the active ingredients or other ingredients in Moton Melts.

**Take special care with Moton Melts:**

- If you experience an allergic reaction after taking Moton Melts, discontinue use and consult your healthcare practitioner.
- If you want to substitute existing medical treatment, please consult your doctor or healthcare practitioner before doing so.

**Taking Moton Melts with food and drink**

Moton Melts should not be taken within 15 minutes of a meal, strong coffee, chocolate, camphor or aromatic substances as these may reduce the efficacy of the homeopathic components.

**Pregnancy and breastfeeding**

Homeopathic medicines have traditionally been safely used during pregnancy and breastfeeding. It is recommended that if you are pregnant or breastfeeding, that you consult your healthcare practitioner for advice before taking any medicine.

**Driving and using machinery**

Moton Melts do not interfere with your ability to drive or use machinery.

**Important information about some of the ingredients**

Moton Melts contains lactose. Patients with the rare hereditary conditions of lactose or galactose intolerance should not take Moton Melts. Lactose may have an effect on the control of your blood sugar if you have diabetes mellitus.

**Using other medicines with Moton Melts**

Always tell your healthcare practitioner if you are taking other medicines. (This includes complementary or traditional medicines.) Moton Melts are not known to interact with other medicines.

**4. HOW TO TAKE MOTON MELTS**

Do not share medicines prescribed for you with any other person. Always check with your pharmacist or healthcare practitioner if you are unsure how to take this medicine.

The tablets should be dissolved in the mouth, ideally under the tongue. The mouth should be free of other strong tastes (e.g. toothpaste, peppermint, etc.) when taking the medicine. As absorption takes place through the mucous membrane of the mouth, it is desirable to hold the medicine in the mouth for a short time.

**The normal dosage is:**

2 Tablets under the tongue on rising and 3 times daily when necessary. May be taken every 15 minutes when symptoms are acute. Reduce the frequency of dosing with improvement. Treatment may be continued for as long as necessary and may be stopped at any time when symptoms are no longer present or when no longer necessary.

**If you take more Moton Melts than you should**

There are no known symptoms of overdose. If a side effect is experienced following an overdose, consult your healthcare practitioner or pharmacist. If neither is available, contact the nearest hospital or poison control centre.

**If you forget to take a dose of Moton Melts**

Do not take a double dose to make up for a missed dose.

**5. POSSIBLE SIDE EFFECTS**

There are no known side effects for Moton Melts. Should your general health worsen or if you experience any untoward effects while taking this medicine, please consult your healthcare practitioner or pharmacist for advice.

**6. STORING AND DISPOSING OF MOTON MELTS**

Store at or below 25°C in a cool, dry place protected from light and moisture. Keep the container tightly closed. Do not store in a bathroom. **Store all medicines out of the reach of children.** Return all un-used medicines to your pharmacist.

**7. PRESENTATION OF MOTON MELTS**

Moton Melts are available as 50 tablets packed in an amber glass bottle with a white HDPE screw-on cap.

**8. IDENTIFICATION**

Moton Melts are small, white, round, bi-convex tablets with a lactose taste.

**9. REFERENCE NUMBER**

U520 (Act 101/1965)

**10. NAME AND ADDRESS OF THE APPLICANT**

CoMED Health (Pty) Ltd., 313 Kuit Street, Wallowo, Pretoria, 0184.  
www.comedhealth.co.za (See also www.natura.co.za). Tel: 012 813 9400.

**11. DATE OF PUBLICATION**

June 2018

**12. COMPLEMENTARY MEDICINE**

Homeopathic medicine

Disclaimer: This unregistered medicine has not been evaluated by SAHPRA for its quality, safety or intended use.



# Mamma & Baba

## MOTON MELTS (TABLETTE)

### PASIËNT INLIGTINGSBLAD



**SKEDULERING STATUS** Nie geskeduleer nie.

**HANDELSNAAM, STERKTE EN DOSEERVORM**  
Moton Melts (Tablette)

Lees hierdie blaadjie sorgvuldig deur want dit bevat belangrike inligting vir jou Moton Melts is beskikbaar sonder 'n dokter se voorskryf vir die verligting van geringe toestande. Tog moet Moton Melts noukeurig gebruik word om die beste resultate daaruit te kry.

- Hou hierdie blaadjie veilig ingeval jy dit in die toekoms weer moet lees.
- Moet nie Moton Melts met enige ander persoon deel nie.
- Vra jou apteker of gesondheidsorgpraktisyn as jy meer inligting of advies benodig.
- Jy moet 'n gesondheidsorgpraktisyn sien as jou simptome vererger of nie verbeter nie.

#### 1. WAT MOTON MELTS BEVAT

Die aktiewe bestanddele in Moton Melts is *Apomorphia hydrochloricum* 6CH, *Anamirta cocculus* (Cocculus) 3CH, *Cephaelis acuminata* (Ipecacuanha) 3CH, *Cuprum metallicum* 6CH, *Ferrum phosphoricum* 5CH, *Iris versicolor* 3CH, *Petroleum* 3CH, *Strychnos nux-vomica* (Nux vomica) 5CH, *Tabacum* 3CH, *Veratrum album* 6CH. Die ander bestanddele is laktose monohidraat, magnesium stearaat en natrium styselglikolaat. Bevat suiker (laktose 47 mg)

#### 2. WAARVOOR MOTON MELTS GEBRUIK WORD

Moton Melts word homeopatiese gebruik om oggendnaarheid, naarheid en braking te verlig.

#### 3. VOORDAT JY MOTON MELTS GEBRUIK

**Moet nie Moton Melts neem as**

- Jy hipersensitief (allergies) of onverdraagsaam is teenoor enige van die aktiewe bestanddele of ander bestanddele in Moton Melts nie.

**Wees veral versigtig met Moton Melts:**

- Indien jy 'n allergiese reaksie ervaar nadat jy Moton Melts geneem het, stop dadelik die gebruik daarvan en raadpleeg jou gesondheidsorgpraktisyn.
- As jy bestaande mediese behandeling wil vervang, raadpleeg jou dokter of gesondheidsorgpraktisyn voordat jy dit doen.

#### Gebruik van Moton Melts saam met voedsel en vloeistowwe

Moet nie Moton Melts binne 15 minute neem van 'n ete, sterk koffie, sjokolade, kamfer of aromatiese stowwe nie, aangesien dit die effektiwiteit van die homeopatiese komponente kan verminder.

#### Swangerskap en borsvoeding

Homeopatiese medisyne is tradisioneel veilig gebruik tydens swangerskap en borsvoeding. Dit word egter aanbeveel dat as jy swanger is of jou baba borsvoed, dat jy jou gesondheidsorgpraktisyn raadpleeg vir advies voordat jy enige medisyne gebruik.

#### Die gebruik en bestuur van masjinerie

Die gebruik van Moton Melts beïnvloed nie die mens se vermoë om masjinerie te bestuur en veilig te gebruik nie.

#### Belangrike inligting oor sommige van die bestanddele

Moton Melts bevat laktose. Pasiënte met die seldsame oorerflike toestande van laktose of galaktose-onverdraagsaamheid moet nie Moton Melts neem nie. Laktose kan 'n invloed hê op die beheer van jou bloedsuiker as jy diabetes mellitus het.

#### Gebruik van ander medisyne saam met Moton Melts

Vertel altyd jou gesondheidsorgpraktisyn as jy ander medisyne gebruik. (Dit sluit komplementêre of tradisionele medisyne in.) Dit is nie bekend dat Moton Melts met ander medisyne reageer nie.

#### 4. HOE OM MOTON MELTS TE GEBRUIK

Moenie medisyne wat vir jou voorgeskryf is met enige ander persoon deel nie. Raadpleeg altyd jou apteker of gesondheidsorgpraktisyn indien jy nie seker is hoe om hierdie medisyne te gebruik nie.

Die tablette moet in die mond opgelos word, verkieslik onder die tong. Die mond moet vry wees van ander sterk smake (bv. tandepasta, pepperment, ens.) wanneer die medisyne geneem word. Aangesien absorpsie deur die slymvlies van die mond plaasvind, is dit wenslik om die medisyne vir 'n kort tydjie in die mond te hou.

#### Die gewone dosis is:

2 Tablette onder die tong wanneer ontstaan en 3 maal per dag wanneer nodig. Mag elke 15 minute geneem word in akute gevalle. Verminder die frekwensie van die dosering met verbetering van simptome. Behandeling kan voortduur vir so lank as wat nodig is en kan op enige stadium gestop word wanneer simptome nie meer teenwoordig is nie.

#### Indien jy meer Moton Melts gebruik as wat nodig is

Daar is geen bekende simptome van oordosis nie. Indien jy 'n nuwe-effek ervaar, raadpleeg jou gesondheidsorgpraktisyn of apteker. Indien hulle nie beskikbaar is nie, kontak die naaste hospitaal of gifbeheersentrum.

#### As jy vergeet om 'n dosis Moton Melts te neem

Moet nie 'n dubbeldosis neem om vir 'n oorgeslaande dosis op te maak nie.

#### 5. MOONTLIKE NUWE-EFFEKTE

Daar is geen nuwe-effekte bekend vir Moton Melts nie. Indien jou algemene gesondheid versleg of indien jy enige nuwe-effekte ondervind wanneer jy hierdie medisyne gebruik, raadpleeg jou gesondheidsorgpraktisyn of apteker vir advies.

#### 6. BERGING EN VERNIETIGING VAN MOTON MELTS

Stoor by of onder 25°C in 'n koel, droë plek en beskerm teen lig en vog. Hou die houer dig gesluit. Moenie in 'n badkamer stoor nie. **Bewaar alle medisyne buite bereik van kinders.** Stuur alle ongebruikte medisyne aan jou apteker terug.

#### 7. VOORLEGGING VAN MOTON MELTS

Moton Melts is beskikbaar as 50 tablette wat in 'n amber glasbottel met 'n wit HDPE skroef proppe verpak is.

#### 8. IDENTIFIKASIE

Moton Melts is wit, ronde, bi-konvekse tablette met 'n laktose smaak.

#### 9. VERWYSINGSNUMMER

U520 (Wet 101/1965)

#### 10. NAAM EN ADRES VAN DIE APPLIKANT

CoMED Health (Pty) Ltd., 313 Kuitstraat, Waltloo, Pretoria, 0184.  
[www.comedhealth.co.za](http://www.comedhealth.co.za) (Sien ook [www.natura.co.za](http://www.natura.co.za)). Tel: 012 813 9400.

#### 11. DATUM VAN PUBLIKASIE

Junie 2018

#### 12. KOMPLIMENTÊRE MEDIKASIE

Homeopatiese medisyne

Vrywaring: Hierdie ongeregistreerde medisyne is nie deur SAHPRA vir sy kwaliteit, veiligheid of voorgestelde gebruik geëvalueer nie.